Gedde UW see Hellermark C
Godart A, Schirrer R, Wippler C: Analysis of a PS/PMMA blend by image processing techniques 235
Gómez-Elvira JM see Martinez G
Gorenberg AY see Magonov SN
Guarrotxena N see Martinez G

Ha WS see Yoo DI
Hace D see Ranogajec F
Hall HK Jr see Bonner A
Hall HK Jr see Mitchell MA
Hallensleben ML, Kabus-Henke A: Monomeric and polymeric amphiphiles with oligofunctional carboxylic headgroups. 1. Synthesis of amphiphiles with different numbers of esters and acidogroups 251
Hampsch H see Mitchell MA
Harwood HJ see Trumbo DL
Hasegawa T see Oku J
Hatada K see Kitayama T
Hatada K see Ute K
Hayakawa Y, Nishida M, Okumura A, Matsui M, Muramatsu H: Preparation and properties of polyacetylene membranes substituted with trifluoromethylated heterocyclic groups 293
Hedrick JL see Lucas M
Heinze T see Spange S
Hellermark C, Gedde UW, Hult A: Synthesis and characterization of poly(11-(4′-cyano-*trans*-4-stilbenyloxy)undecanyl vinyl ether) 267
Hirohashi R see Kubo N
Hoshino H, Yamana M, Donkai N, Sinigersky V, Kajiwara K, Miyamoto T, Inagaki H: Lyotropic mesophase formations of HPC/imogolite mixture 607
Hsu CS see Juang TM
Hu GH, Wang W: Should the removal of water be taken into account in the analysis of kinetic data of polyesterification reactions? 351
Huckerby TN see Barson CA
Hult A see Hellermark C
Hummel K see Saf R
Hurduc N, Bulacovschi V, Bordeianu A, Simionescu C: Phase transfer catalysis in the polycondensation processes. IV. Synthesis of polyesters with oxetane pendant groups 639

Iijima T see Kitayama T
Inagaki H see Hoshino H
Inoue M, Cantua S, Medrano F, Asano K, Nakamura M: Copolymerization of diphenylmethane and *p*-xylene by oxidative coupling 29
Itagaki H, Washio M, Tagawa S: Rates for intramolecular excimer formation of poly(α-methylstyrene) measured by using picosecond pulse radiolysis 197

Jaćović MS, Dunjić B, Djonlagić J, Spassky N, Sepulchre M, Sepulchre MO: Synthesis and rheological study of some maleic acid and fumaric acid stereoregular polyesters. 8. Unsaturated polyester fibers 621
Jahnke P see Kricheldorf HR
Janevski A see Leben S
Janota H see Wrzyszczyński A
Jayanna HS, Subramanyam SV: Thermal expansion of irradiated polyvinyl chloride from 10 K to 340 K 481
Jensen A see Khorshahi F
Jimenez ML see Tagle LH
Juang TM, Chang CF, Hsu CS: Synthesis of side-chain crystalline polyacrylates, polymethacrylates and polysiloxanes containing 4-cyano-biphenyl 4-alkanyloxybenzyl ether groups 403

Kabus-Henke A see Hallensleben ML
Kageoka M see Yamada B
Kajiwara K see Hoshino H
Kakuchi T see Miyajima M
Karakawa H see Yoshinaga K
Karger-Kocsis J, Yuan Q, Czigány T: Assignment of acoustic emission to the failure sequence and damage zone growth in glass fiber strand mat-reinforced structural nylon RIM composites 717
Katayama S, Myoga A, Akahori Y: Swelling behaviors of amphoteric gels and the dissociation mechanisms 227
Katime I see Anasagasti M
Kawakami Y, Yu SP, Abe T: Synthesis of aromatic diaminofunctionalized dimethylsiloxane oligomers and macromonomers 525
Kelen T see Nemes S
Khorshahi F, Lin S, Jensen A, Kwoh D: Characterization of copolyester of polyethylene terephthalate and polyoxyethylene terephthalate by ^{1}H NMR and GPC 451
Kim HK, Ober CK: Acid-catalyzed photoaromatization of poly(cyclohexadiene-1,2-diol) derivatives into polyphenylene 33
Kimura N, Abe A: An interpretation of NMR data of 4-ethoxy-4′- cyanobiphenyl in the nematic state – internal rotation around the O-CH_2 bond 81
Kimura T see Fujiwara H
Kitayama T, Iijima T, Nishiura T, Hatada K: Highly efficient block copolymerization of methyl and *t*-butyl methacrylates by an incomplete and slow initiation system 327
Klemm D see Spange S
Klemm E, Beil U: Unusual addition by the thiol-ene photopolymerization 653
Kobayashi N see Kubo N
Komatsu M see Yoshinaga K
Kricheldorf HR, Jahnke P: New polymer syntheses. 55. Aromatic poly(ether sulfide)s of pyridine and pyridazine 411
Kubo N, Kobayashi N, Hirohashi R: Photoinduced ionic conductivity in poly[(ω-methoxy)oligo(oxyethylene)methacrylate] doped with triphenylmethane derivatives 69
Kubota Y see Oku J
Kuchanov SI, Olenin AV: Application of iniferters for obtaining composition homogeneous copolymers 449
Kumar A see Chung TC
Kurešević V see Vuković R
Kwoh D see Khorshahi F

Lath D, Cowie JMG, Lathová E: The miscibility and phase separation in binary blends of poly(ethyl methacrylate) with styrene/acrylonitrile copolymers 361
Lathová E see Lath D
Leben S, Janevski A, Šebenik A, Osredkar U: The synthesis and characterization of polydibromoacetylene 187
Lee M see Percec V
Lee YC, Chung IJ: Lyotropic liquid crystalline phase of polyesteramides with different ratio of amide to ester groups in a main chain 441
Levesque G see Bonnans-Plaisance C
Liao CX, Weber WP: Synthesis and characterization of poly(1-methyl-1-silabutane), poly(1-phenyl-1-silabutane) and poly(1-silabutane) 281
Lin CC see Chu HH
Lin FM see Trumbo DL
Lin FT see Trumbo DL
Lin S see Khorshahi F
Liu G see White B
Llinas GH, Chien JCW: Comparison of polymerization catalyzed by the *syn* and *anti*-diastereomers of [ethylidene(1-η^5tetramethylcyclopentadienyl)(1-η^5-indenyl)]titanium dichloride and methylaluminoxane 41
Llorente MA see Andrady AL
Lucas M, Hedrick JL: Poly(aryl ether amides): Self polymerization of an A-B monomer via amide-activated ether synthesis 129

Lukáš R, Toman L, Spěváček J: Polymerization of isobutylene initiated with the system 2,5-dichloro-2,5-dimethylhexane/$SnCl_4$ 167
Lukáš R see Toman L

Maglio G see Castaldo L
Magonov SN, Gorenberg AY, Cantow HJ: Atomic force microscopy on polymers and polymer related compounds. 5. Carbon fibers 577
Maier G, Yang D, Nuyken O: Polyketones containing indane structure elements 135
Mark JE see Andrady AL
Martinez G, Guarrotxena N, Gómez-Elvira JM, Millán J: Specific polymer-solvent interaction and stereospecificity of nucleophilic substitution reaction of PVC 427
Mathew B, Pillai VNR: EPR investigations of the influence of *N,N'*-methylene-bis-acrylamide (NNMBA) crosslinks on the coordination structure of Cu(II) complexes of poly(*N*-2-aminoethylacrylamide)s 585
Matsui M see Hayakawa Y
Mattice WL see Wang Y
Maturana HA see Rivas BL
Medrano F see Inoue M
Millán J see Martinez G
Mitchell MA, Mulvaney JE, Hall HK, Willard CS, Hampsch H, Williams DJ: New main chain nonlinear optical polymers with high glass transition temperatures 381
Miyajima M, Tsuda K, Kakuchi T, Yokota K: Synthesis of polymers with cryptand-like units via radical cyclopolymerization of diacrylate and dimethacrylate derived drom diaza-12-crown-4, and the binding property for lithium ion 23
Miyamoto T see Hoshino H
Miyatake N see Ute K
Mizuno A see Sagane T
Mokhtar SM see Osman MBS
Montheard JP, Boinon B, Belfkira A, Sadel A, Pham QT: Syntheses and characterizations of new copolymers of vinylidene cyanide wuth para substituted α-acetoxystyrenes 615
Morimoto K see Okuno H
Moteleb MMA: Electrical conductance of some cellulose derivatives 689
Mulvaney JE see Mitchell MA
Muramatsu H see Hayakawa Y
Myoga A see Katayama S

Nakamura H see Fujiwara H
Nakamura M see Inoue M
Nakatuka T see Fujiwara H
Nemes S, Borbély J, Borda J, Kelen T: Reactive propylene oligomers. I. Propylene oligomers with isopropenyl end group by thermolysis 633
Nishida H see Yoshinaga K
Nishida M see Hayakawa Y
Nishiura T see Kitayama T
Nouchi G see Bokobza L
Nuyken O, Aechtner S: Cationic polymerization of selected α- and β-substituted vinyl ethers 117
Nuyken O see Maier G

Ober CK see Kim HK
Oku J, Hasegawa T, Kubota Y, Takaki M, Asami R: Anionic polymerization of vinylsilanes. IV. Isomerization polymerization of dimethylphenylvinylsilane 505
Okumura A see Hayakawa Y
Okuno H, Morimoto K, Uragami T: Permselectivities of poly(vinyl chloride) membrane for binary alcohol mixtures in pervaporation 683
Olenin AV see Kuchanov SI
Osman MBS, Dakroury AZ, Mokhtar SM: Study on acrylamide-vinyl pyrrolidone copolymer 181
Osredkar U see Leben S
Otsu T see Yamada B

Padias AB see Bonner A
Palumbo R see Castaldo L
Parisi JP see Boutevin B
Pascault JP see Williams RJJ
Pearson LT see Spatafore R
Peirigua A see Bokobza L
Percec V, Lee M, Tomazos D: Molecular engineering of liquid crystalline polymers by living polymerization. 21. Synthesis and characterization of poly{3-[(4-cyano-4'-biphenyl)oxy]propyl vinyl ether} macromonomers 9
Peric IM see Rivas BL
Pham QT see Montheard JP
Pilati F, Toselli M, Vallieri A, Tonelli C: Synthesis of polyesters-perfluoropolyethers block copolymers. 3. Use of various telechelic perfluoropolyethers 151
Pillai VNR see Mathew B
Pospíšil J, Cui Y, Prasad PN: Laser induced ultrasonic wave grating in polyarylonitrile (PAN) 211
Prasad PN see Pospíšil J

Quijada JR see Santanna CMR
Quirk RP see Wang Y

Rabagliati M, Terraza A: Polymerization of styrene with diphenylzinc-cocatalyst systems 511
Rabek JF see Wrzyszczyński A
Ranogajec F, Fleš D, Hace D, Vuković R: Copolymerization of α-methylstyrene with *N*-alkylmaleimides 319
Rivas BL, Ananías SI: Synthesis and characterization of poly(*N*-propionyl)iminoethylene 3
Rivas BL, Maturana HA, Peric IM: Crosslinking effect on sorption and thermal stability by crosslinked poly(ethyleneimine) 601
Robin JJ see Boutevin B
Roume C see Boutevin B

Sadel A see Montheard JP
Saf R, Hummel K, Gatterer K, Fritzer HP: Paramagnetic conjugated polymers with stable radicals in side groups 395
Sagane T, Abe Y, Mizuno A: Synthesis of a novel comb-like poly(vinyl ether) with isopropylnaphthoxy pendant by cationic polymerization 259
Sandner B, Steurich T, Wiesner K, Bischoff H: Solid polymer electrolytes based on oligo(ethylene glycol)methacrylates. 1. Conductivity of plasticized networks containing a polar comonomer 355
Santa Maria LC see Coutinho FMB
Santanna CMR, Ermel E, Quijada JR: Influence of the termonomer on the synthesis and properties of ethylene-propylene polymers 47
Schirrer R see Godart A
Schultz K see Spatafore R
Šebenik A see Leben S
Segi M see Fujiwara H
Šegudović N see Vuković R
Seo SW see Yoo DI
Sepulchre MO see Jaćović MS
Sepulchre M see Jaćović MS
Serra OA see Ximenes MIN
Sikes AM see Brady RF
Simionescu C see Hurduc N
Sinigersky V see Hoshino H
Smith DJ see Zhong Y
Spange S, Heinze T, Klemm D: On the polarity and donor-acceptor properties of polysaccharides. I. Investigations on the acceptor properties of cellulose acetates by means of the solvatochromic technique 697
Spassky N see Jaćović MS

Spatafore R, Schultz K, Thompson T, Pearson LT: Migratory behaviour of a phosphite process stabilizer in polyolefins 467
Spěváček J see Lukáš R
Spěváček J see Toman L
Steurich T see Sandner B
Subramanyam SV see Jayanna HS
Sugawa Y see Yoshinaga K
Sun S see Yao KD
Svec F see Wang QC

Tagawa S see Itagaki H
Tagle LH, Diaz FR, Jimenez ML: Polymerization by phase transfer catalysis. 13. Polymer synthesis from 1,1,3-trimethyl-3(4′- hydroxy-phenyl)-4-indanol 645
Takaki M see Oku J
Terraza A see Rabagliati M
Teyssie D see Yu JM
Theurig M, Weber WP: Stereoselective anionic ring opening polymerization of 1,1-dimethyl-1-silacyclobutene. Characterization of poly(1,1-dimethyl-1-sila-*cis*-but-2-ene) 17
Thompson T see Spatafore R
Toman L, Lukáš R, Spěváček J: Isobutylene polymerization in the presence of *t*-BuCl/$SnCl_4$ 175
Toman L see Lukáš R
Tomazos D see Percec V
Tonelli C see Pilati F
Toselli M see Pilati F
Trumbo DL: Copolymerization of 4-bromo-2-vinyl thiophene with methyl methacrylate and *n*-butyl acrylate 159
Trumbo DL: Copolymerization behavior of 5-methyl-2-vinyl thiophene 309
Trumbo DL: Copolymerization behavior of 3-vinylbenzothiophene 555
Trumbo DL, Lin FT, Lin FM, Harwood HJ: Analysis of the 300 and 600 MHz ^{1}H-NMR spectra of poly(3-vinyl thiophene) 87
Tsai RS, Tsai HB: Preparation and thermotropic properties of copoly(4,4′-biphenylene sebacate-co-eicosanedioate)s 539
Tsai HB see Tsai RS
Tsuda K see Miyajima M

Uragami T see Okuno H
Ute K, Miyatake N, Asada T, Hatada K: Stereoregular oligomers of methyl methacrylate. 6. Isolation of isotactic and syndiotactic MMA oligomers from 19-mer to 29-mer by preparative supercritical fluid chromatography and their thermal analysis 561

Valenciano R see Anasagasti M
Vallieri A see Pilati F
Vancso GJ see White B
Vancsó-Szmercsányi I see White B
Vaneeckhoutte P see Boutevin B
Vázquez A, Deza R, Williams RJJ: Molecular-mass distributions resulting from the homopolymerization of monoepoxides initiated by tertiary amines 459
Vázquez A see Williams RJJ
Vernekar SP see Avadhani CV
Vogl O see Bartus J
Vuković R, Kurešević V, Bogdanić G, Šegudović N: Miscibility behaviour of sulfonylated poly(2,6-dimethyl-1,4phenylene oxide) copolymers in the blends with poly(styrene-co-maleic anhydride) and with poly(α-methylstyrene-co-maleic anhydride) 473
Vuković R see Ranogajec F

Wadgaonkar PP see Avadhani CV
Wang QC, Svec F, Fréchet JMJ: Monodisperse polymer beads as packing material for high-performance liquid chromatography. Fine control of pore structure of macroporous beads 569
Wang W see Hu GH
Wang Y, Balaji R, Quirk RP, Mattice WL: Detection of the rate of exchange of chains between micelles formed by diblock copolymers in aqueous solution 333
Wang Y, Mattice WL: Intramolecular vs intermolecular formation of bityrosine upon photoreaction of poly(L-tyrosine) in dilute aqueous solution 345
Washio M see Itagaki H
Weber WP see Liao CX
Weber WP see Theurig M
White B, Liu G, Vancsó-Szmercsányi I, Vancso GJ: Characterization of metal-ion containing polyesters. A study of the glass transition behavior of poly(diethylene glycol-co-succinic acid) as a function of the effective molar mass 95
Wiesner K see Sandner B
Willard CS see Mitchell MA
Williams DJ see Mitchell MA
Williams RJJ, Vázquez A, Pascault JP: Gelation in the cyclotrimerization of dicyanates considering substitution effects 219
Williams RJJ see Vázquez A
Wippler C see Godart A
Wrzyszczyński A, Janota H, Rabek JF: Photo- and thermal polymerization of styrene by new sulfur-containing azoinitiators 275

Ximenes MIN, Serra OA, de Barros GG: Eu^{3+} ions in the modified matrix polyethylene/poly(acrylic acid). Fluorescence studies 61
Xu F see Chien JCW

Yamada B, Kageoka M, Otsu T: ESR study on radical polymerization of styrene. 2. Propagation rate constant of polystyrene radical with different molecular weights 75
Yamana M see Hoshino H
Yang D see Maier G
Yao KD, Sun S: Bending behavior of an electrically activated complex forming hydrogel 677
Yokota K see Miyajima M
Yokoyama T see Yoshinaga K
Yoo DI, Seo SW, Ha WS: Double melting behavior of cyclic tris(ethylene terephthalate) 599
Yoshinaga K, Yokoyama T, Sugawa Y, Karakawa H, Enomoto N, Nishida H, Komatsu M: Preparation of monodispersed polymer-modified silica particles by radical polymerization using silica colloid and introduction of functional groups on the composite surface 663
Yu JM, Teyssie D, Boileau S: Hydrosilylation of allyl carbonates by polymethylhydrosiloxane and related side-reactions 435
Yu SP see Kawakami Y
Yuan Q see Karger-Kocsis J

Zaschke B, Zelder S, Altmann H, Arnold M: The behaviour of styrenes *p*-substituted with a liquid crystalline side group under anionic polymerization conditions 243
Zelder S see Zaschke B
Zhao AX see Chien JCW
Zhong Y, Smith DJ: Selective reversible protection of ethylenediamine for the synthesis of methacryl-based monomers 547

Indexed in *Current Contents*

Subject Index Volume 28 (1992)

Acethoxysilane 339
α-Acetoxystyrenes, substituted 615
Acoustic emission 717
Acrylamide-vinyl pyrrolidone copolymer 181
Acrylic acid, thermal polymerization 61
Acrylic resins 375
Acrylonitrile/styrene 361
N-Alkylmaleimides/α-methylstyrene 319
p-Alkyloxymethylstyrenes 243
Allyl carbonates, hydrosilylation 435
– phenyl carbonate 435
Amide-activated ether synthesis 129
2-Aminoethylmethacrylamide (AEMA) 547
Aminosilane 339
Amphiphiles, ester and acidogroups 251
–, monomeric/polymeric 251
Amphoteric gels, swelling behavior 227
ansa-metallocene/MAO catalysts 41
Arylazophenylsulfones 275
Arylazosulfonates 275
Atomic force microscopy, carbon fibers 577
1-Azabutadiene, crystalline 517
Azadienes 517
Azobis(2-amidinopropane) dihydrochloride 663
Azobisisobutylnitrile (AIBN) 181
Azoinitiators, sulfur-containing 275

Bead polymers, spherical 569
Benzophenonetetracarboxylic dianhydride (BTDA) 143
Benzyldithiocarbamate 449
Biocompatibility 301
4,4′-Biphenylene diacetate 539
4,10-Bis(acryloyloxyethyl)-1,7-dioxa-4,10-diazacyclododecane 23
1,3-Bis(4-aminobenzoyloxy)benzene 441
Bis(chloromethyl)oxacyclobutane/dipotassium isophthalate 637
Bis(diphenylphosphino)alkane 315
Bis(2-mercapto ethyl) ether 497
Bis(2-mercapto ethyl) sulfide 497
Bisphosphine(*n*)Pd 315
4-[*N*,*N*-Bis(trimethylsilyl)amino]phenyllithium 525
Bityrosine,photoreaction 345
Block coplymers 327
4-Bromo-2-vinyl thiophene,copolymerization 159
Butenyl phenyl carbonate 435
n-Butyl acrylate 159
– –, mixed-surfactants 419
t-Butyl methacrylate (*t*-BMA) 327
n-Butyllithium 17

Carbon fibers 577
– monoxide/α-olefins 315
Catalysts, stereospecific 55
–, supported 123
Cellulose acetates, acceptor properties 697
– derivatives, electrical conductance 689
1-Chloro-2,3-epoxypropane 601
Chlorosilane 339
Chromium (III) diisopropyl salicylate 627
Chymotrypsin 301
Colloid, monodispersed 663
Conductivity, electrical 287,689
–, network temperature-dependance 355
–, photoinduced ionic 69
Copoly(4,4′-biphenylene sebacate-co-eicosanedioate)s 539
Copolyesteramide 441
Copolyesters, octamethylene 621
–, PET/POET 451
Covariance function's method 235
Cryptand derivatives 23
Cu(II) complexes, amino functions 585
– ions, branched poly(ethyleneimine) 601
4-Cyano-biphenyl-4-alkanyloxybenzyl ether side groups 403
Cyanobiphenyl core, ethoxy tail 81
3-[4-Cyano-4′-biphenyl)oxy]propyl vinyl ether 9
Cyclohexadiene-1,2-diol 33
Cyclopolymerization, radical, diacrylate/dimethacrylate 23
Cyclotrimerization, dicyanates 219

Damage zone evolution 717
Dangling-chain irregularities 103
Di-*n*-butyl ether 55
Di-*tert*-butylpyridine, proton trap 367
Diacrylate/dimethacrylate, radical cyclopolymerization 23
Diamines, aromatic 129
Dianhydrides, aromatic 143
Diastereomers, *syn-/anti-* 41
Diblock copolymers, micelles 333
Dibromoacetylene 287
1,2-Dibromoethane 601
1,3-Dibromopropane 601
Dibutyltin diacetate 381
2,5-Dichloro-2,5-dimethylhexane/$SnCl_4$ 167
α,ω-Dichlorooligodimethylsiloxane 525
Dicyanates, gelation in the cyclotrimerization 219
Dicyclopentadiene (DCP) 47
Diene-dithiol-diene 531
Dienes, telechelic monodispersed nonconjugated 531
Diethylaluminum chloride 55
2,3-Dihydrofuran 117
Diisocyanates, ester group containing 143
4-(*N*,*N*-Dimethylamino) benzonitrile (DMABN), fluorescence 709
Dimethylaminopropyl acrylamide 227
Dimethyl dodecyl amine (DMDA) 627
– isophthalate 151
Dimethylphenylvinylsilane 505
1,1-Dimethyl-1-silacyclobutene 17
Dimethylsiloxane 525
–, aromatic diamino-functionalized 525
Dimethyl terephthalate 151
Diols, telechelic monodispersed 389, 497
Diphenylmethane/*p*-xylene,oxidative coupling 29
Diphenylzinc-cocatalyst systems 511
Dipotassium isophthalate 637
4,4′-Disubstituted-biphenyl 243
Dithiols 389
–, photoaddition of aromatic 653
α,ω-Dithiols 497, 531

Eicosanedioic acid 539
Elastomeric networks 103
Elastomers, EPDM 47
Electromechanochemical behavior, hydrogels 677
Elongational flow 109
End-reactive oligomers 633
Enzymes, lipolytic 451
Epoxides, homopolymerization 459
Epoxy resins 627
ESR spectroscopy 75

Ether synthesis, amide-activated 129
Ethers, cyclic unsaturated 117
–, propenyl 117
4-Ethoxy-4′-cyanobiphenyl, nematic state 81
2-Ethyl-2-oxazoline 3
Ethylene-propylene polymers, influence of termonomers 47
Ethylenediamine, selective reversible protection 547
Ethyleneglycoldivinylether 653
Ethyleneimine 3
5-Ethylidene-2-norbornene (ENB) 47
[Ethylidene(1-η^5-tetramethylcyclopentadienyl)(1-η^5indenyl] titanium dichloride 41
Eu^{3+} ions 61
Europium ion probe, LDPE 61
Expanding monomers 375

Failure sequence 717
Ferromagnetism 395
Fluorescence probe techniques 709
4-Fluoro-*N*-(4-hydroxyphenyl)benzamide 129
Fumaric acid, polyester fibers 621

Gels, amphoteric 227
Glycidyl methacrylate 547
Gradient image 235

Hexamethylphosphoramide (HMPA) 17, 281
Homopolymers, nonlinear optical (NLO) 381
HPC/imogolite mixture, lyotropic mesophase 607
HPLC, monodisperse polymer beads 569
Hydrogel polymers 547
––, complex forming 677
Hydrosilylation, allyl carbonates 435
2-Hydroxy ethyl methacrylate 9
Hydroxypropyl cellulose 607, 663
Hyperpolarizability 381

Image analysis, mathematical morphology 235
Imogolite 607
Indene 47
Iniferters, composition homogeneous copolymers 449
1-Iodo-1-(2-methylpropyloxy)ethane 117
Irradiated polymers, thermal properties 481
Isobutyl vinyl ether (IBVE) 117
Isobutylene, BCl_3 367
–, carbocationic polymerization 123
–, 2,5-dichloro-2,5-dimethylhexane/$SnCl_4$ 167
– polymerization, *t*-BuCl/$SnCl_4$ 175
Isopropenyl-ended material 633
2-(6-Isopropyl-2-naphthoxy)ethyl vinyl ether 259
Isotropic elastic modulus 211
– nematic phase transition 109

Laser-induced transient grating 211
Latexes, monodispersed 419
LC see Liquid crystalline
LDPE-PAA 61
Lewis acid catalysts, supported 123
––, $SnCl_4$ 167,175
Lewis rule, monomer conversion-rates 703
Limonene 47
Liquid crystalline (LC) compounds, flexible tails 81
––, poly(vinyl ether)s 259
––, polymers 539
–––, , living polymerization 9
–––, , lyotropic/thermotropic 441
––, side chain polysiloxanes 435
–––, , polymers 243, 259, 267, 403
Lithographic techniques 33

Low density polyethylene/acrylic acid 61

Macrocycles 23
Malachite green leuco hydroxide 69
Mayo's rule, monomer conversion-rates 703
Membrane separation techniques, pervaporation 683
Membranes, poly[2,5-bis(trifluoromethyl)3-ethynylthiophene] 293
Mesophases 109
Metal oxide colloids 663
Metal-containing reactants 95
Methacrolein 517
Methacrylamides 547
Methacrylation, triglycyl triphenyl methane 627
Methacryl-based monomers 547
4-Methoxy-4′-carbomethoxy-α-amino-α′-cyanostilbenes 381
Methyl alumoxane 511
– iodide 3
– methacrylate (MMA) 159, 327
– /*t*-butyl methacrylate (*t*-BMA) 327
––, retarder 657
––, stereoregular oligomers 561
Methylaluminoxane 41
α-Methylbenzyltetramethylenesulfonium hexafluorophosphate 267
N,N′-Methylene-bis-acrylamide (NNMBA) 585
Methyl(2,3-epithiopropyl-thio) ethanoate 489
3-Methyl-*N*-(phenylsulfonyl)-1-aza-1,3-butadiene (MPAB) 517
1-Methyl-1-silacyclobutane 281
α-Methylstyrene/*N*-alkylmaleimides 319
Methylthiirane 489
5-Methyl-2-vinyl thiophene, copolymerization 309
Micelles, diblock copolymers 333
Microlithography, deep-UV 33
Miscibility, alternating copolymers 473
MMA (methyl methacrylate) 159, 327
–, isotactic/syndiotactic 561
– /maleic anhydride/dodecyl mercaptan telogen 703
Monoepoxides, tertiary amines 459
Monolayers, stable 251
Morphology, mathematical 235
Multiblock -(A-B)$_n$- copolymers 151
Multiepoxy resin, functionalized 627

NLO chromophores 381
Nylon block copolymer, mat reinforced 717
– RIM composites 717

Olefins, addition of thiols 653
Oligo(ethylene glycol)methacrylates, solid polymer electrolytes 355
Oligomers, end-reactive 633
Optical polymers, main chain nonlinear 381
– rotation measurements 203

Poly(1,3-dihydroxy-2-(4-ethynylphenyl)-4,4,5,5′-tetramethylimidazolidine) 395
Paramagnetic conjugated polymers 395
Pd^{2+} catalysts 315
Perfluoropolyethers, telechelic 151
Perfluoropolymers 151
Pervaporation, hydrophobic polymer membranes 683
PET-POET, copolyesters 451
Ph_3P-Et_3Al 327
Phase transfer catalysis 639, 645
Phenothiazine 267
L-Phenylalanine 301
Phenylazo-4-diphenylsulfone 275
Phosphite process stabilizer 467

Photoinitiation 267
Photoirradiation 69
Photolysis, acryloazosulfones 275
Photopolymerization, aromatic dithiols/aliphatic dienes 653
Picosecond pulse radiolysis, poly(α-methylstyrene) 197
PMMA see Poly(methyl methacrylate) 327, 561
–, isotactic/syndiotactic 561
Poly(acrylate)s (PA) 489
Poly(acrylic acid)/polyethylene 61
Poly(alkyl)thiiranes 489
Poly(alkylene fumarate)s 621
Poly(alkylene maleate)s 621
Poly(*N*-2-aminoethylacrylamide)s, Cu(II) complexes 585
Poly(aryl ether amides) 129
Poly(aryl ether)s 129
Poly(*n*-butyl acrylate) (PBA) 419
Poly{3-[(4-cyano-4′-biphenyl)oxy]propyl vinyl ether} 9
Poly(11-(4′-cyano-*trans*-4-stilbenyloxy)undecanyl vinyl ether) 267
Poly(cyclohexadiene-1,2-diol)/polyphenylene, photoaromatization 33
Poly(cyclohexene)s, substituted 33
Poly(diethylene glycol-co-succinic acid), glass transition behavior 95
Poly(2,6-dimethyl-1,4-phenylene oxide), sulfonylated 473
Poly(1,1-dimethyl-1-sila-*cis*-but-2-ene) 17
Poly(dimethylsiloxane) networks, dangling chains 103
Poly(ester imide)s, aliphatic-aromatic 143
Poly(ether sulfide)s, pyridine/pyridazine 411
Poly(ethyl methacrylate)/styrene/acrylonitrile copolymers 361
Poly(ethylene glycol) dimethylether 355
Poly[ethylene glycol-co-propylene glycol)-*g*-acrylamide 677
Poly(ethylene oxide)/polystyrene 333
Poly(ethylene terephthalate) 593
Poly(ethyleneimine) 3
–, crosslinked 601
Poly(4-ethynylbenzaldehyde) 395
Poly(L-lactide) 301
Poly[(ω-methoxy)oligo(oxyethylene)methacrylate] 69
Poly(methyl-4-ethynylbenzoate) 395
Poly(methyl methacrylate) (PMMA) 327, 561
Poly(1-methyl-1-silabutane) 281
Poly(α-methylstyrene), picosecond pulse radiolysis 197
Poly(α-methylstyrene-co-maleic anhydride) 473
Poly(methylene)dithiols/undecylenol 389
Poly(octamethylene fumarate) 621
Poly(phenylacetylene)s 293
Poly(*N*-propionyl)iminoethylene 3
Poly(siloxane)s 251
Poly(styrene-co-maleic anhydride) 473
Poly(triphenylmethyl methacrylate) 203
Poly(L-tyrosine) 345
Poly(vinyl chloride)(PVC) 427
– –, binary alcohol mixtures,permselectivity 683
– –, membrane, permselectivity 683
– –, nucleophilic substitution reaction 427
– –, solid 189
– –, thermal expansion of irradiated 481
Poly(vinyl ether), novel comb-like 259
Poly(3-vinyl thiophene), 300/600 MHz ^{1}H-NMR spectra 87
Polyacetylenes 287
– membranes, trifluoromethylated heterocyclic groups 293
Polyacrylamide (PAAm) 181
Polyacrylates, side-chain liquid crystalline 403
Polyacrylonitrile, SEM 577
Polyamides, aromatic 129
Polyarylonitrile (PAN), laser-induced ultrasonic wave grating 211
Polycarbonates 645
Polycarbosilanes 281
Polychloral 203
Polycondensates 593
Polycyanurate networks 219
Polydibromoacetylene 287
Polydimethylsiloxane telechelics 525
Polyesteramides, enzymatically degradable amide bonds 301
–, lyotropic liquid crystalline phase 441
Polyesterification, removal of water 351
Polyesters 645
– fibers, unsaturated 621
–, maleic acid/fumaric acid stereoregular 621
–, metal-ion containing 95
–, oxetane pendant groups 639
– perfluoropolyethers block copolymers 151
Polyethers, aromatic 411
Polyethylene/poly(acrylic acid) 61
– terephthalate/polyoxyethylene terephthalate 451
Polyimides, aliphatic-aromatic 143
Polyindanes 135
Polyisobutylene 167, 175
Polyitaconic acid monomethylester (PMMI) 669
Polyketones, indane structure elements 135
Polymethacrylates (PMA), side-chain liquid crystalline 403
Polymethylhydrosiloxanes 281
–, hydrosilylation of allyl carbonates 435
Polymonomethyl itaconate 669
Polyolefins, functionalized 123
–, phosphite process stabilizer 467
Polypropylene 467
–, partially crystalline 123
–, thermolysis of atactic 633
Polysaccharides, donor-acceptor properties 697
Polysiloxanes, LC side-chain 403, 435
Polystyrene 189,197
– backbone, stiff 243
– /poly(ethylene oxide) 333
– /polymethylmethacrylate blends 235
– radical 75
– /SiO_2 composite 633
–, stereoregular with syndiotactic placements 511
Polysulfides 411, 653
Polythiiranes, functional 489
Polythiocarbonates 645
Polyvinylpyrrolidone (PVP)/polymonomethyl itaconate 669
Porogen, polymeric 569
Porous polymer beads, monodispersed 569
Potassium isophthalate 637
Propagation rate constant 75
Propylene/CO copolymers 315
– oligomers, reactive 633
– polymerization 55
PS/PMMA blend,image processing techniques 235
PVC see Poly(vinyl chloride)
Pyromellitic dianhydride (PMDA) 143

Quadrol 547

Radical polymerization 75
Retarder, MMA 657
Rod systems, freely jointed, isotropic-nematicphase transition 109
– like molecules 109

SAN-poly(ethyl methacrylate) 361
– poly(methyl methacrylate) 361
Scanning electron microscopy (SEM), polyacrylonitrile, carbon fibers 577
– tunneling microscopy (STM), carbon fibers 577
Sebacic acid 539
SEM, polyacrylonitrile, carbon fibers 577
Shrinkage 375

1-Silacyclobutane 281
Silarylene-siloxane, exactly alternating 339
Silica colloid, monodispersed 663
– particles, monodispersed polymer-modified 663
Siloxane/silarylene, exactly alternating 339
Silylated 4-mercaptophenol 411
Skeit's rule, cotelomerization 703
Sodium acrylate 227
– benzenethiolate (NaBT) 427
– styrenesulfonic acid 227
Spirobislactones, solid scrylic matrix 375
STM, polyacrylonitrile, carbon fibers 577
Styrene/acrylonitrile (SAN) 361, 449
–, diphenylzinc-cocatalyst systems 511
–, ESR, radical polymerization 75
– /methyl acrylate 449
– /solid poly(vinyl chloride) 189
–, *p*-substituted 243
–, sulfur-containing azoinitiators 275
Surfactants, anionic/nonionic 419
Suspensions, optical activity 203

Telechelic diols, monodispersed 389, 497
– monodispersed nonconjugated dienes 531
Telomerization, radical 389, 497
Termonomers 47
Tetrabutyl ammonium bromide (TBAB) 627
–– perchlorate (TBAP) 117
N,N,N′,N′-Tetraethylthiuram disulfide 449
N,N,N′,N′-Tetramethylethylenediamine (TMEDA) 505
1,1,2,2-Tetraphenylethane 29
Thermal degradation, acryloazosulfones 275
Thiirane ring 489
Thiol-ene photopolymerization, unusual addition 653
Triethylaluminum 55
– /triphenylphosphine 327
Triethylene glycol dimethacrylate (TRGDMA) 355
Triglycyl triphenyl methane, methacrylation 627
Trimethyl-*n*-acryloly-3-aminopropane ammonium chloride 227
1,1,3-Trimethyl-3-(4′-hydroxy-phenyl)4-indanol 645
2,4,4-Trimethylpentyl chloride 367
Trimethylvinylsilane (TMVS) 505
1,2,3-Triphenylcyclopropene (TPCP) 657
Triphenylmethylalcohol 69
Triphenylphosphine/triethylaluminum 327
Tris(2,4-di-*t*-butyl phenol) phosphite 467
Tris(ethylene terephthalate), cyclic 593
Twisted intramolecular charge transfer (TICT), fluorescence 709
Tyrosine, photoreaction 345

U(VI) ions, branched poly(ethyleneimine) 601
Undecylenol 497
– /poly(methylene)dithiols, telomerization 389
Ureidosilane 339

Vinyl acetate (VA) 615
– ethers, α- and β-substituted 117
– heterocycles 159, 309, 555
N-Vinyl pyrrolidone 181
2-Vinyl thiophene 309
3-Vinyl thiophene 87
3-Vinylbenzothiophene, copolymerization 555
Vinylidene cyanide, *p*-substituted α-acetoxystyrenes 615
Vinylsilanes, anionic polymerization 505

Ziegler-Natta catalysts 47
–––, perfomance, synthesis parameters 55